



Condition : EN300220 433MHZ TRAN 3m HORIZONTAL
 EUT/Model : RFM43-434
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
432.550	16.56	10.38	0.00	-30.75	-3.82	-36.00	32.18
866.140	22.78	10.73	0.00	-81.50	-48.00	-36.00	-12.00




Condition : EN300220 433MHZ TRAN 3m VERTICAL
 EUT/Model : RFM43-434
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
432.550	16.56	10.38	0.00	-16.32	10.62	-36.00	46.62
866.140	22.78	10.73	0.00	-81.52	-48.02	-36.00	-12.02



Condition : EN300220 TX ABOVE 1 3m ANT3117 (>1G) o1 HORIZONTAL
 EUT/Model : RFM43-434
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamplifier Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
1280.000	26.37	4.50	39.48	-47.71	-56.32	-30.00	-26.32
1720.000	27.78	5.18	39.72	-32.17	-38.93	-30.00	-8.93
2168.000	29.18	5.52	38.93	-57.41	-61.64	-30.00	-31.64
3456.000	32.49	7.25	39.54	-60.37	-60.17	-30.00	-30.17
4760.000	34.19	9.64	41.45	-58.03	-55.65	-30.00	-25.65
5632.000	35.35	12.76	42.02	-62.70	-56.61	-30.00	-26.61



Condition : EN300220 TX ABOVE 1 3m ANT3117 (>1G) o1 VERTICAL
 EUT/Model : RFM43-434
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamplifier Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
1280.000	26.37	4.50	39.48	-31.95	-40.56	-30.00	-10.56
1728.000	27.80	5.21	39.65	-42.65	-49.29	-30.00	-19.29
2168.000	29.18	5.52	38.93	-45.42	-49.66	-30.00	-19.66
3896.000	32.99	7.89	39.76	-57.21	-56.09	-30.00	-26.09
4760.000	34.19	9.64	41.45	-55.37	-53.00	-30.00	-23.00
5632.000	35.35	12.76	42.02	-60.37	-54.28	-30.00	-24.28